KERN GAB6K0.05N

Checkweighing and portioning scale, also with EC type approval [M]





Measuring system

Adjustment options:	External calibration
Linearity:	150 mg
Readability [d]:	50 mg
Recommended adjusting weight:	6 kg (F2)
Repeatability:	50 mg
Resolution:	120000
Stabilisation time under laboratory conditions:	2 s
Tare range:	-6 kg
Warm up time:	2 h
Weighing capacity [Max]:	6 kg
Weighing system:	Strain gauge
Weighing units:	g kg

2,400 cm

Display

Display digit height:

Counting

Counting resolution:	120000
Mininum piece weight at piece counting (Laboratory:	50 mg
Mininum piece weight at piece counting (Normal):	500 mg

Functions

Counting function:	yes		
Function to save totals:	yes		
Percentage determination:	yes		
Weighing with tolerance range:	yes		
Environmental conditions			
Maximum humidity:	80 %		
Maximum operating temperature:	40 °C		
Minimum ambient temperature:	0°C		

Power supply			
Charging time:	12 h		
Input voltage:	220 V - 240 V AC 50 Hz		
Mains adapter/adapter included:	CH EURO UK		
· ·			
n/a:	Mains adapter external		
Power supply			
Operating time (Backlight off):	90 h		
Operating time (Backlight on):	40 h		
Rechargeable battery:	Rchrg. battery optional - intern		
Service			
DAkkS Certificate:	963-128		
Catagory			
Category			
Brand:	KERN		
Category:	Balances		
Product Group:	Bench scale		
Packaging & shipping			
Delivery:	24 h		
Dimensions packaging (WxDxH):	445 x 375 x 205 mm		
Gross weight:	4,418 kg		
Net weight:	3 kg		
Shipping method:	Parcel service		
Construction			
Casing material:	Plastic		
Dimensions housing (WxDxH):	320 x 330 x 125 mm		
Dimensions of display device (WxDxH):	320 x 350 x 125 mm		
Level indicator:	yes		
Material weighing plate:	stainless steel		
Overall dimensions mounted (WxDxH):	320 x 350 x 125 mm		
Revolving screw feet:	yes		
Weighing surface (WxD):	294 x 225 mm		

KERN GAB6K0.05N

Checkweighing and portioning scale, also with EC type approval [M]



Piktogramme

STANDARD

0				
CAL EXT RS 232	PCS	SUM PERCE	-√+ ⊙ ⋽ູ» TOL	DMS
1 DAY				
OPTION				



FACTORY

