KERN CCS1T-4S







Measuring system	
Adjustment options:	External calibration
Linearity:	500 mg
Repeatability:	200 mg
Stabilisation time under laboratory conditions:	2 s
Weighing capacity [Max]:	1,500 t
Weighing system:	Strain gauge
Weighing units:	kg lb

Counting		
Mininum piece weight at piece counting (Laboratory:	100 mg	
Mininum piece weight at piece counting (Normal):	1 g	
Reference weight:	ves	

2 cm

Display

Display digit height:

Functions		
Conversion function:	yes	
Counting function:	yes	
Function to save totals:	yes	
PRE-TARE function:	yes	
Weighing with tolerance range:	yes	

Environmental conditions	
Maximum humidity:	80 %
Maximum operating temperature:	40 °C
Minimum ambient temperature:	0°C
Minimum humidity:	0 %

Power supply	
Charging time:	12 h
Input voltage:	220 V - 240 V AC 50 Hz
Operating time (Backlight on):	70 h

Service

Adjustment at the location of installation: abhängig von

Auflösung/Max | depends on resolution and capacity

DAkkS Certificate: 962-130-128

Category

Brand: **KERN**

Product Group: Counting system

Packaging & shipping

Delivery: 96 h

Dimensions packaging (WxDxH): 1050 x 1050 x 260 mm

Gross weight: 115 kg Net weight: 110 kg

Shipping method: Freight forwarder

Construction

Cable length:	1,500 m
Cable length of display device:	5 m
Casing material:	Plastic
Dimensions housing (WxDxH):	320 x 350 x 125 mm
Dimensions of weighing plate (WxDxH):	1000 x 1000 x 108 mm
Level indicator:	yes

Material weighing plate: Metal lacquered

Revolving screw feet: yes

Weighing surface (WxD): 1000 x 1000 mm

Piktogramme

STANDARD



















OPTION

