KERN FKB65K0.2

Large, high resolution bench scale





Measuring system				
Adjustment options:	External calibration			
Linearity:	1 g			
Readability [d]:	200 mg			
Recommended adjusting weight:	50 kg (E2); 10 kg (E2)			
Repeatability:	400 mg			
Resolution:	325000			
Stabilisation time under laboratory conditions:	3 s			
Warm up time:	2 h			
Weighing capacity [Max]:	65 kg			
Weighing system:	Strain gauge			
Weighing units:	* ct dwt g gn kg lb mo oz ozt t tl (Cn) tl (HK) tl (Singap. Malays) tl (Tw) to			
Display				

Display			
Display digit height:	1,800 cm		
Counting			
Counting resolution:	325000		
Mininum piece weight at piece counting (Laboratory:	200 mg		
Mininum piece weight at piece counting (Normal):	2 g		
Functions			
Conversion function:	yes		
Counting function:	yes		
Percentage determination:	yes		

yes

yes

Hook

PRE-TARE function:

Suspended weighing:

Vibration-free weighing (Animal

Environmental conditions				
Maximum humidity:	80 %			
Maximum operating temperature:	40 °C			
Minimum ambient temperature:	10 °C			
Power supply				
Battery:	6x1.5 V Size C			
Charging time:	10 h			
Input voltage:	100 V - 240 V			
Mains adapter:	Mains adapter external			
Mains adapter/adapter included:	CHEURO			
Operating time:	40 h			
Operating time (Backlight off):	30 h			
Operating time (Backlight on):	15 h			
Rechargeable battery:	Rchrg. battery optional			
0				
Service				
DAkkS Certificate:	963-129			
Cotogony				
Category				
Brand:	KERN			
Category:	Balances			
Product Group:	Bench scale			
Packaging & shipping				
Delivery:	24 h			
Dimensions packaging (WxDxH):	470 x 470 x 190 mm			
Gross weight:	7,600 kg			
Net weight:	6,500 kg			
Shipping method:	Parcel service			
Construction				
Dimensions housing (WxDxH):	350 x 390 x 120 mm			
Level indicator:	yes			
Material weighing plate:	stainless steel			
Revolving screw feet:	yes			

340 x 240 mm

Weighing surface (WxD):

KERN FKB65K0.2

Large, high resolution bench scale



Piktogramme

STANDARD

CAL EXT	RS 232	PCS	% PERCENT	MOVE	UNDER	BATT
B H	DMS	1 DAY				

OPTION

