

KERN PLS20000-1F



Range of precision balances with enormous weighing ranges â ideal for heavy tare containers or large samples



Functions

Counting function:	yes
Density determination function:	yes
Peak function:	yes
Percentage determination:	yes
PRE-TARE function:	yes
Standby function:	yes
Weighing with tolerance range:	yes

Environmental conditions

Maximum humidity:	80 %
Maximum operating temperature:	35 °C
Minimum ambient temperature:	5 °C

Power supply

Charging time:	10 h
Input voltage:	country-dependent
Mains adapter:	Mains adapter external
Mains adapter/adapter included:	UK US EURO CH
Operating time (Backlight off):	30 h
Operating time (Backlight on):	18 h

Service

DAkkS Certificate:	963-128
--------------------	---------

Category

Brand:	KERN
Category:	Balances
Product Group:	Precision balance

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	325 x 445 x 300 mm
Gross weight:	5,077 kg
Net weight:	3,545 kg
Shipping method:	Parcel service

Construction

Casing material:	Plastic
Dimensions housing (WxDxH):	210 x 340 x 100 mm
Dimensions of weighing plate (WxDxH):	200 x 175 x 15 mm
Level indicator:	yes
Material weighing plate:	stainless steel
Overall dimensions mounted (WxDxH):	210 x 340 x 100 mm
Revolving screw feet:	yes
Weighing surface (WxD):	200 x 175 mm

Measuring system

Adjustment options:	External calibration
Linearity:	400 mg
Minimum weight (USP):	200 g
Readability [d]:	100 mg
Recommended adjusting weight:	20 kg (E2)
Repeatability:	100 mg
Resolution:	200000
Stabilisation time under laboratory conditions:	3 s
Tare range:	20 kg
Warm up time:	2 h
Weighing capacity [Max]:	20 kg
Weighing system:	Strain gauge
Weighing units:	ct dwt oz tl (Tw) gn ozt tl (HK) g mo lb tl (Singap. Malays)

Display

Display digit height:	1,700 cm
-----------------------	----------

Counting

Counting resolution:	40000
Minimum piece weight at piece counting (Laboratory):	500 mg
Minimum piece weight at piece counting (Normal):	5 g
Reference weight:	yes

KERN PLS2000-1F



Range of precision balances with enormous weighing ranges â ideal for heavy tare containers or large samples

Piktogramme

STANDARD



OPTION



FACTORY

