

KERN ALJ160-4A



Analytical balance range with large weighing ranges - now also with EC type approval [M]
or available as semi-micro analytical balance



Counting

Counting resolution:	160000
Minimum piece weight at piece counting (Laboratory):	1 mg
Minimum piece weight at piece counting (Normal):	10 mg
Reference weight:	yes

Functions

Counting function:	yes
Density determination function:	yes
Peak function:	yes
Percentage determination:	yes
PRE-TARE function:	yes
Standby function:	yes
Vibration-free weighing (Animal weighing program):	yes
Weighing with tolerance range:	yes

Environmental conditions

Maximum humidity:	80 %
Maximum operating temperature:	35 °C
Minimum ambient temperature:	5 °C

Power supply

Input voltage:	country-dependent
Mains adapter:	Mains adapter external
Mains adapter/adapter included:	UK US EURO CH

Service

DAkkS Certificate:	963-101
--------------------	---------

Category

Brand:	KERN
Category:	Balances
Product Group:	Analytical balance

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	515 x 400 x 630 mm
Gross weight:	9,250 kg
Net weight:	6,500 kg
Shipping method:	Parcel service

Measuring system

Adjustment options:	External calibration Internal calibration (auto) Internal calibration (manual)
Linearity:	0,300 mg
Minimum weight (USP):	200 mg
Readability [d]:	0,100 mg
Recommended adjusting weight:	150 g (E2)
Repeatability:	0,100 mg
Resolution:	1.600.000
Stabilisation time under laboratory conditions:	4 s
Tare range:	160 g
Warm up time:	8 h
Weighing capacity [Max]:	160 g
Weighing system:	Force compensation
Weighing units:	tl (Tw) gn mg ozt tl (HK) g mo lb tl (Singap. Malays) ct dwt oz

Display

Display digit height:	1,700 cm
-----------------------	----------

Technical data about verification

Verification class:	I (ohne Bauartzulassung)
---------------------	--------------------------

KERN ALJ160-4A




Analytical balance range with large weighing ranges - now also with EC type approval [M]
or available as semi-micro analytical balance

Construction

Casing material:	Plastic
Dimensions draft shield (WxDxH):	190 x 195 x 225 mm
Dimensions housing (WxDxH):	210 x 340 x 330 mm
Level indicator:	yes
Material weighing plate:	stainless steel
Revolving screw feet:	yes
Weighing space (WxDxH):	160 x 140 x 205 mm
Weighing surface (d):	80

Piktogramme

STANDARD



OPTION



FACTORY

